

Components for automation



08

compatible with you compatible with you compatible with you

Systeme

Helmholz GmbH

Systeme Helmholz GmbH
Gewerbegebiet Ost 36
D-91085 Weisendorf
Phone: +49 9135 73 80-0
Fax: +49 9135 73 80-50
www.helmholz.com

Price List 08



Memory Submodules for S7	3
Input/Output Modules for S7	3
Front Connector, Ready-Wired Front Connector, Mounting Rack	4
PAS 300, PROFIBUS Connector	4
Repeater, Terminal Block, NETLink, OPC-Server	5
CAN 300, CAN 400 Bus Connector for CAN-Bus	5
MPI-Bus	5
Modems for Teleservice, MPI-Accessory	6
Memory Submodules for S5	7
Input/Output for S5	8
Communication for S5, Interface Converters	9
Training Courses	10

Systeme Helmholz® and **EasyConnect®** are registered trademarks of the **Systeme Helmholz GmbH**.

S7 200®, S7 300®, S7 400® and STEP® are registered trademarks of Siemens AG.

Memory Submodules for S7, Input/Output Modules for S7

Order-No.	Cat.	Description of the product	CODE	Price in Euro
Memory Submodules for S7				
	P.5	Micro Memory cards		
NEW	700-953-8LF11	64 KByte	B	34,90
NEW	700-953-8LG11	128 KByte		57,00
NEW	700-953-8LJ11	512 KByte		130,40
NEW	700-953-8LL11	2 MByte		187,20
NEW	700-953-8LM11	4 MByte		228,00
NEW	700-953-8LP11	8 MByte		285,60
	P.6	Memory cards		
		Flash EPROM cards short		
	700-951-0KD00	16 KByte		52,20
	700-951-0KE00	32 KByte		83,00
	700-951-0KF00	64 KByte		108,60
	700-951-0KG00	128 KByte		165,00
	700-951-1KH00	256 KByte		206,00
	700-951-0KJ00	512 KByte		237,00
	700-951-1KK00	1 MByte		265,40
	700-951-1KL00	2 MByte		308,50
	700-951-1KM00	4 MByte		399,00
		RAM cards short		
	700-951-0AG00	128 KByte	A	227,00
	700-951-1AH00	256 KByte		286,50
	700-951-1AJ00	512 KByte		330,00
	700-951-1AK00	1 MByte		400,00
	700-951-1AL00	2 MByte		486,80
		Flash EPROM cards long		
	700-952-0KF00	64 KByte		108,60
	700-952-0KH00	256 KByte		194,70
	700-952-1KK00	1 MByte		259,30
	700-952-1KL00	2 MByte		302,30
	700-952-1KM00	4 MByte		389,50
	700-952-1KP00	8 MByte		604,70
	700-952-1KS00	16 MByte		821,00
		RAM cards long		
	700-952-0AF00	64 KByte		151,70
	700-952-1AH00	256 KByte		280,80
	700-952-1AK00	1 MByte		389,50
	700-952-1AL00	2 MByte		475,60
DEA 300				
	P.8	Input/Output modules		
	700-321-1BH02	Digital input module DEA 300; 16 inputs (24 V DC)		110,00
	700-321-1BL00	Digital input module DEA 300; 32 inputs (24 V DC)		236,00
NEW	700-321-1BH50	P.10 DEA 300; 16I m-reading for S7-300 isolated		102,00
	700-322-1BH01	P.12 Digital output module DEA 300; 16 output (24 V DC; 0.5 A)	A	151,00
	700-322-1BL00	Digital output module DEA 300; 32 output (24 V DC; 0.5 A)		313,00
	700-323-1BH01	P.14 DEA 300; 8 inputs (24 V DC)/8 outputs (24 V DC; 0.5 A)		165,00
	700-323-1BL00	DEA 300; 16 inputs (24 V DC)/16 outputs (24 V DC; 0.5 A)		280,00
	700-322-1BF01	P.16 DEA 300; (24 V DC; 2A), Digital output module, 8 output, 2 A		127,00
	700-322-1HF10	Digital output module, 8 relays, 5 A		133,00
	700-322-1HF20	Digital output module, 8 relays, 5 A, snubber		145,00
	700-322-1HH01	Digital output module, 16 relays, 2 A		231,00
	700-322-1HF01	Digital output module, 8 relays, 2 A		108,00
	900-321-1DE11	Manual DEA 300, german/english		

AEA 300, Front Connector, PAS 300, PROFIBUS Connector

Order-No.	Cat.	Description of the product	CODE	Price in Euro	
AEA 300					
	P.19	Analog Input/Output modules			
700-331-4MA20		AEA 300; 8 current inputs, for connection of current sensors	A	354,00	
700-331-0V010		AEA 300; 8 voltage inputs, for connection of voltage sensors		354,00	
700-331-PT100		AEA 300; 4 Pt100/Ni100 resistance thermometers, non-isolated		325,00	
700-332-5HD01	P.22	AEA 300; 4 outputs for connection of analog actuators		360,00	
700-332-5HB01		AEA 300; 2 outputs for connection of analog actuators		249,00	
900-331-0AA01		Manual AEA 300, german/english		25,00	
Dummymodule					
NEW	700-370-0AA01	P.24	Dummymodule for S7-300, 20-way	A	63,60
NEW	700-370-0AL01		Dummymodule for S7-300, 40-way		69,60
Front Connectors					
	P.25	Front Connector 392 for DEA 300			
700-392-1AJ10		20-way with screw contacts	B	17,00	
700-392-1AM10		40-way with EasyConnect ® technology screw contacts		26,00	
Ready-wired Front Connectors for DEA 300					
700-392-1AJ10A		for screw connection, 20-way, 2 m		42,50	
700-392-1AJ10B		for screw connection, 20-way, 3 m		43,50	
700-392-1AJ10C		for screw connection, 20-way, 5 m		49,50	
700-392-1AM10A		for EasyConnect ® connection, 40-way, 2 m		66,50	
700-392-1AM10B		for EasyConnect ® connection, 40-way, 3 m		70,50	
700-392-1AM10C		for EasyConnect ® connection, 40-way, 5 m		76,50	
	P.26	Mounting rack			
700-390-1AB60		length 160 mm	B	13,20	
700-390-1AE80		length 482 mm		20,60	
700-390-1AF30		length 530 mm		25,00	
700-390-1AJ30		length 830 mm		33,00	
700-390-1BC00		length 2000 mm		55,00	
Bus Systems					
	P.21	PAS 300, PROFIBUS slave interface module			
700-153-1AA02		PAS 300, slave module	B	189,00	
900-153-1AA02		Manual PAS 300, german/english		25,00	
Bus Connector for PROFIBUS					
	P.28	PROFIBUS			
NEW	700-972-0BA50	EasyConnect ® PROFIBUS-connector, without programming device con.	A	27,00	
NEW	700-972-0BB50			EasyConnect ® PROFIBUS-connector, with programming device con.	35,00
	P.29	without prog. device connector "smaller dimension", 90°		27,00	
		with prog. device connector "smaller dimension", 90°		35,00	
	P.30	without programming device connector, axial cable outlet		28,00	
		without programming device connector, 35°		27,50	
		with programming device connector, 35°		35,50	
	P.31	without programming device connector, EX-Zone 2		29,00	
		with programming device connector, EX-Zone 2		37,00	
		without prog. device connector with spring connection technique		28,00	
		with prog. device connector with spring connection technique	36,00		
		700-972-6AA00	C	56,00	
		Stripping tool for PROFIBUS			

Repeater, Terminal Block, NETLink, OPC-Server, CAN 300,CAN 400, MPI-Bus

Order-No.	Cat.	Description of the product	CODE	Price in Euro	
Repeater for MPI and PROFIBUS					
700-972-0AA01	P.32	MPI-/PROFIBUS-repeater	B	220,00	
700-901-4BD00		PROFIBUS dropcable for PG, 3 meters		59,00	
700-751-MPV20	P.33	MPI-/PROFIBUS-terminal block, in a metal housing		121,00	
700-751-MPV01		MPI-/PROFIBUS-multiplexer		107,00	
Bus Systems					
P.34 NETLink					
700-880-MPI01		NETLink lite with S7-driver	B	425,00	
700-880-MPI10		NETLink lite without S7-driver (with DLL)		345,00	
700-880-CROSS		Crossover-Adapter for NetLink		10,50	
NEW 700-881-MPI11	P.35	NETLink PRO		479,00	
NEW 700-890-MPI11	P.36	NETLink USB		479,00	
P.37 OPC-Server					
800-880-OPC10		S7-OPC-Server	C	400,00	
800-880-OPC20		S7-OPC-Server with USB-Dongle		470,00	
CAN 300					
700-600-CAN01	P.38	CAN 300, Communication module	B	640,00	
700-610-0VK11		Parameterization cable PC to CAN 300 master module		46,00	
900-600-CAN01		Manual CAN 300, Communication module, german/english		26,00	
P.39 CAN 400					
NEW 700-640-CAN11		CAN 400-1, Communication module, 1 CAN channel		745,00	
NEW 700-640-CAN21		CAN 400-2, Communication module, 2 CAN channels		895,00	
900-640-CAN21		Manual CAN 400, german/english	26,00		
P.40 Software for CAN					
800-600-1AA11		Software for CAN CD with parameterization software "CANParam", handling blocks "Layer 2", and "CANopen"		198,00	
800-600-1LZ11		Handling of LENZE Systembus CD with parameterization software "CANParam", handling blocks "Layer 2" and "LENZE Systembus"		198,00	
Bus Connector					
P.42 Bus connector for CAN Bus					
700-690-0BA11		without connector	A	26,00	
700-690-0BB11		with connector		34,00	
MPI-Bus					
P.44 MPI-Adapter					
700-751-1VK21		SSW7 (included connecting to PC)	A	218,00	
700-755-1VK21		SSW7-USB (included USB cable)		240,00	
P.46 SSW7-TS					
700-751-8VK21		SSW7-TS		249,00	
700-751-8MD21		SSW7-TS with on board modem, analog		469,00	
700-751-8IS21		SSW7-TS with on board modem, ISDN		499,00	
P.48 SSW7-RK512					
700-751-5VK21		SSW7-RK512		259,00	
700-752-5VK21		SSW7-RK512 with RS422-interface		270,00	
700-751-9VK11		SSW7-HMI		193,00	

Modems for Teleservice, MPI-Accessory

Order-No.	Cat.	Description of the product	CODE	Price in Euro
Teleservice				
	P.50	Modems for teleservice		
700-751-8VK21		SSW7-TS	A	249,00
700-751-8MD21		SSW7-TS with on board modem, analog		469,00
700-751-8IS21		SSW7-TS with on board modem, ISDN		499,00
700-751-MDM06		Modem, pocket type, analog (worldwide)		153,00
700-751-HSM11		Modem, DIN rail type, analog	C	322,00
700-751-MDM05		Modem, pocket type, ISDN		126,00
700-751-HSM02		Modem, DIN rail type, ISDN		363,00
700-751-TSP01		Starting kit 1 (SSW7-TS, 1 modem PC type, 1 DIN rail type, analog)	B	699,00
700-751-TSP02		Starting kit 2 (SSW7-TS, 1 DIN rail type, analog)		549,00
NEW	P.52	Modem, DIN rail type, GSM	C	389,00
NEW		56K-Modem, DIN rail type, "small"		249,00
700-751-ANT01		Local dualband antenna GSM, cable length 5 meters		49,90
700-751-ANT02		Multiband magnetic-antenna GSM, cable length 2,5 meters	D	29,90
700-751-ANT03		Patch-antenna GSM, cable length 3 meters		49,90
	P.54	MPI-Accessory		
700-751-HSH01		DIN rail adapter, short	A	10,00
700-751-HSH10		DIN rail adapter, long		12,00
700-751-6VK11		Extension cable for MPI-Bus SSW7 to AG, 5 m		29,00
700-751-6VK21		SSW7 to AG, 10 m		41,00
700-751-6SO11		SSW7 to AG, special lengths		on request
MPI-Interfaces				
	P.54	SSW 200	B	
700-751-2VK11		SSW 200, for connecting PC to a CPU, 3 m		77,00

Memory Submodules for S5

Order-No.	Cat.	Description of the product	CODE	Price in Euro
Memory Submodules for S5				
	P.55	Memory cards for S5		
		Flash EPROM cards short 5V		
700-374-1KG11		128 KByte		268,00
700-374-1KH21		256 KByte		333,00
700-374-1KJ11		512 KByte		405,00
700-374-1KK21		1 MByte		453,00
		Flash EPROM cards long 5V		
700-374-2KG21		128 KByte		165,00
700-374-2KH21		256 KByte		333,00
700-374-2KK21		1 MByte		433,00
		RAM cards long		
700-374-2AH21		256 KByte		445,00
	P.56	RAM submodules		
		RAM submodules with battery series 375		
700-375-0LD11		8 KByte		134,00
700-375-0LD21		16 KByte		268,00
700-375-0LD31		32 KByte		281,00
		RAM submodules short series 377		
700-377-0AA11		16 KByte		159,00
700-377-0AA21		32 KByte		261,00
700-377-0AA32		64 KByte		338,00
700-377-0BA31		64 KByte with battery		422,00
		RAM submodules long series 377		
700-377-0AB21		32 KByte		227,00
700-377-0AB31		64 KByte		311,00
700-377-0AB41		128 KByte		595,00
	P.57	EPROM, EEPROM		
		EPROM submodules series 373	A	
700-373-1AA41		32 KByte		115,00
700-373-1AA61		64 KByte		140,00
700-373-1AA81		128 KByte		281,00
		EPROM submodules series 375		
700-375-0LA15		8 KByte		44,00
700-375-0LA21		16 KByte		90,00
700-375-0LA41		32 KByte		140,00
700-375-0LA61		64 KByte		205,00
700-375-0LA71		128 KByte		374,00
700-375-1LA15		8 KByte		44,00
700-375-1LA21		16 KByte		90,00
700-375-1LA41		32 KByte		140,00
700-375-1LA61		64 KByte		205,00
700-375-1LA71		128 KByte		374,00
		EPROM submodules series 376		
700-376-1AA11		16 KByte		81,00
700-376-1AA21		32 KByte		96,00
700-376-1AA31		64 KByte		120,00
		Attention! All EPROM submodules 700-xxx-0xxxx can be programmed on old PU 6xx and on new PU 7xx.		
		EEPROM submodules series 375		
700-375-0LC11		2 KByte		68,00
700-375-0LC21		4 KByte		95,00
700-375-0LC31		8 KByte		106,00
700-375-0LC41		16 KByte		127,00
700-375-0LC45		8/16 KByte , selectable, with write protection		127,00

Input/Output for S5

Order-No.	Cat.	Description of the product	CODE	Price in Euro
Input/Output Modules				
	P.58	DEA 115		
700-420-7LA11		Digital input module DEA 115, 32 input (24 VDC) non-isolated		210,00
700-430-7LA12		Digital input module DEA 115, 32 input (24 VDC) isolated		262,00
700-441-7LA12		Digital output module DEA 115, 32 output 24 VDC; 0.7 A) non-isolated	A	320,00
700-451-7LA12		Digital output module DEA 115, 32 output (24 VDC; 0.7 A) isolated		384,00
		DEA 135		
700-420-4UA14	P.60	Digital input module DEA 135, 32 input (24 VDC) non-isolated		218,90
700-430-4UA14		Digital input module DEA 135, 32 input (24 VDC) isolated	A	327,80
700-441-4UA14		Digital output module DEA 135, 32 output (24 VDC; 0.7 A) non-isolated		327,80
700-451-4UA14		Digital output module DEA 135, 32 output (24 VDC; 0.7 A) isolated		400,40
700-497-4UA12		Front Connector 497 for DEA 135 for crimp connection, w/o spring contacts, single width, 42-way	C	on request
700-497-4UB31		for screw connection, single width, 42-way		on request
	P.62	AEA 115		
700-465-7LA13		Analog input module AEA 115; 16 voltage/current inputs or 8 Pt 100 resistance thermometers non-isolated (measuring range submodule required)	A	572,00
700-498-1AA11		Measuring range submodules 498 for AEA 115 $\pm 50 \text{ mV} / \pm 500 \text{ mV} / \text{Pt } 100$		on request
700-498-1AA21		$\pm 100 \text{ mV} / \pm 1 \text{ V}$		on request
700-498-1AA31		$\pm 1 \text{ V} / \pm 10 \text{ V}$	C	on request
700-498-1AA41		$\pm 2 \text{ mA} / \pm 20 \text{ mA}$		on request
700-498-1AA51		4 - 20 mA; 2-wire		on request
700-498-1AA61		$\pm 500 \text{ mV} / \pm 5 \text{ V}$		on request
700-498-1AA71		4 - 20 mA; 4-wire		on request
	P.63	AEA 115, isolated		
700-470-7LA13		Analog output module AEA 115; 8 output ($\pm 10 \text{ V}/0 - 20 \text{ mA}$)	A	1.047,00
700-470-7LB13		Analog output module AEA 115; 8 output ($\pm 10 \text{ V}$)		831,60
700-470-7LC13		Analog output module AEA 115, 8 output (+ 1 - 5 V/4 - 20 mA)		1.006,50

Communication, Interface Converters

Order-No.	Cat.	Description of the product	CODE	Price in Euro
Communication for S5				
	P.64	SAS 523/525 Serial Interface Modules		
		Interfaces, open driver		
700-523-3UA11		SAS 523-1 one serial interface		433,00
700-523-3UA12		SAS 523-2 two serial interfaces		860,00
700-523-3UA13		SAS 523-3 three serial interfaces		1.116,00
		Interfaces, 3964/3964R (RK512), open driver		
700-525-3UA11		SAS 525-1 one serial interface		557,00
700-525-3UA12		SAS 525-2 two serial interfaces		969,00
700-525-3UA13		SAS 525-3 three serial interfaces		1.256,00
		Interface Submodules for SAS-modules	A	
700-523-1UA11		SM-TTY		65,00
700-523-1UA21		SM-RS232		65,00
700-523-1UA41		SM-RS485 non-isolated		65,00
700-523-1UA51		SM-RS485 isolated		98,00
900-523-0AA11		Manual SAS 523/525, german/english		28,00
		Data handling blocks for SAS 523		
802-523-1AA61		3 1/2" disk DOS format PLC 115 to PLC 155		256,00
		Data handling blocks for SAS 525		
802-525-1AA61		3 1/2" disk DOS format PLC 115 ... PLC 155		256,00
Interface Converts				
	P.66	RS232-TTY Interface converter cable SSW3		
700-750-0AA13		SSW3 (5m)		76,00
700-750-1AA13		SSW3 (10m)		88,00
700-750-2AA13		SSW3 (15m)		99,00
		RS232-TTY Interface converter cable SSW4		
	P.67	SSW4 9-way to 15-way (5m)		115,00
700-750-0AA24		SSW4 9-way to 15-way (10m)		126,00
700-750-1AA24		SSW4 9-way to 15-way (15m)		123,00
700-750-2AA24		SSW4 9-way to 15-way (25m)		135,00
700-750-3AA24		SSW4 9-way to 15-way (50m)		162,00
		SSW4 9-way to 25-way (5m)	A	112,00
700-750-0AA14		SSW4 9-way to 25-way(10m)		118,00
700-750-1AA14		SSW4 9-way to 25-way (15m)		123,00
700-750-2AA14		SSW4 9-way to 25-way (25m)		135,00
700-750-3AA14		SSW4 9-way to 25-way (50m)		162,00
		SSW 4 special lengths (to 200m)		
700-750-OSO24		SSW4 9-way to 15-way (to 200m)		on request
700-750-OSO14		SSW4 9-way to 25-way (to 200m)		on request
		RS232-TTY Interface converter SSW1		
	P.68	SSW1 with connector power pack		153,00
700-750-0VK11		CC-SSW1-PLC/20 SSW1 - PG interface (TTY, 20 m)		73,00
700-750-0VK21		CC-SSW1-SAS/20 SSW1 - SAS 523/525 (TTY, 20 m)		73,00
700-750-1AA11		Connector power pack as single item		23,00

Training Courses

Order-No.	Cat.	Description of the product	CODE	Price in Euro
Training Courses				
400-600-CAN01	P.70	CAN/CANopen/CAN-modules, 1 day (per person)	D	499,00
400-600-MPI01		MPI-BUS/Teleservice/NETLink, 1 day (per person)		499,00



All prices in this price list are declared in Euro, not including legal value added tax and the costs for packing, dispatch and assurance. We reserve the right to change prices and we will charge the valid price on delivery. All data in this price list, in particular, the values, dimensions and weights stated are subject to change without prior notice.

The General Conditions of Sale apply.

Systeme Helmholz GmbH
Gewerbegebiet Ost 36
D-91085 Weisendorf
Phone: +49/9135/73 80-0
Fax: +49/9135/73 80-50
info@helmholz.de
www.helmholz.com